



## CAST IRON STOVES & FIREPLACES

WOODBURNING • MULTI-FUEL • GAS • ELECTRIC



Fire with **Character**



## Forging ahead

Named after the beautiful but enduring Norwegian mountain range, our stoves and fires come from 60 years' experience crafting innovative, high performance heating products built for the harshest Arctic winters.



# The Dovre Range...

Traditional Wood & Multi-fuel Stoves

Pages 08 - 15



Dovre 250

Contemporary Wood & Multi-fuel Stoves

Pages 16 - 37



Sense

Contemporary Wood & Multi-fuel Cassette Fireplaces

Pages 38 - 41



Zen

Traditional Gas Stoves

Pages 42 - 45



Dovre 425 Gas

Traditional Electric Stoves

Pages 46 - 49



Dovre 425 Electric



# Cast Iron Performance ...

...made in our foundry, our stoves and fires are cast with absolute precision for exceptional heating performance.

## Beautifully Reliable

Each of our stoves and fires begins its life in our foundry. Firing at up to 1500°C, furnaces melt down the raw materials to make high quality cast iron for our products.

Moulded with absolute precision for strength and longevity, the cast iron used in Dovre products has excellent durability and thermal qualities. Radiating heat long after the fire has died, our cast iron stoves and fires retain their shape even after years of use.

Thanks to its versatile nature, cast iron can be crafted into a huge variety of shapes and textures, bringing beauty and presence to your interior whether traditional or contemporary.

Whatever your choice - wood, multi-fuel, gas or electric – your cast iron Dovre stove or fireplace will be built to the uncompromising standards you would expect from our Scandinavian heritage.



## Cleanburn & Airwash Systems

Over the decades, Dovre products have been continuously developed to meet the toughest UK & European safety, efficiency, and emission standards. Today, many of our woodburning and multi-fuel stoves, as well as some of our fires, feature our cutting-edge Cleanburn and Airwash systems. This advanced combustion technology minimises environmental impact whilst delivering superb flame visuals with outstanding thermal efficiency.



## High Efficiency

All solid-fuel models in this brochure burn wood or multi-fuel with outstanding efficiency, and are rated as either A or A+ energy class appliances according to European energy labelling standards. For more information on individual energy classes, see each appliance's product page.



## Urban Area Approved

Our eco-focused approach to stove and fire design means that many models in this brochure are suitable for burning wood in urban areas. Independently tested, 250, Vintage and Sense models are all exempt from DEFRA smoke control restrictions in towns and cities\*.



## External Air Supply

Many stoves in this brochure can be installed with an external air supply meaning they do not need to draw any air from the room. This potentially negates the need for an additional air vent, therefore minimising drafts.



## SIA Ecodesign Ready

All Dovre wood and multi-fuel stoves burn so cleanly, they meet proposed 2022 Ecodesign air quality standards. These low emission products produce minimal levels of carbon monoxide (CO), nitrogen oxide (NOx) organic gaseous compounds (OGCs) and particulates (PMs).



## See our stoves being built

Watch our short film to see the typical journey of a Dovre stove, from the molten metal to the finished article:

[dovre.co.uk/about-us](https://dovre.co.uk/about-us)

\*250, Vintage & Sense stoves are approved when fitted with a Smoke Control Kit.





# The dovre **difference...**

## Wood and Multi-fuel Stoves and Fires

**Wood** – When wood is burnt the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. Wood is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give up to twice the output of freshly felled timber but help avoid a build-up of tar in your flue. Hardwood logs are better still, as they will have around twice the calorific value of softwoods of equivalent weight.

**Solid fuels** – anthracite and manufactured smokeless fuels can be burnt on multi-fuel models which feature a fixed or riddling grate. Please note, however, that bituminous coal or petroleum based fuels must never be used on your stove.

**Encouraging Sustainable Woodland** – Stovax (Dovre's distributor in the UK and Republic of Ireland) is working with Certainly Wood, our recommended Woodsure "Ready to Burn" fuel supplier.

When you register your new Dovre stove, the Stovax Heating Group and Certainly Wood will jointly fund the planting of a tree. For more information, see page 57. Our goal is to plant up to 10,000 new trees each year to make a tangible contribution to sustainable woodland creation.



## Gas Stoves

All Dovre gas stoves are available with natural gas or LPG and depending on model, feature a highly realistic log effect fire. These high efficiency stoves are available as manual operation but have the option to upgrade to either a standard remote, allowing heat regulation once the pilot light has been lit manually, or a programmable remote with additional thermostatic and timer controls.

## Electric Stoves

A Dovre electric stove can be as easy to install as plugging in and switching on! All models feature our Chromalight® technology with low energy LED illumination and a choice of fuel effects. The heater is discreetly located underneath and a remote control allows you to adjust the heat in addition to the Chromalight® effects which can run without any heat at all.

**WIN** the cost of your product back!

by registering your product online for your free extended warranty. See page 57 for details.



## Expert Retailer Network & Warranty Information

Dovre products are only available from Expert Independent Retailers who will ensure your stove or fire is both appropriate for your home and fitted correctly. Your Dovre retailer will provide you with a Five Year Warranty for your new stove's castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. For more information, see page 56.

Find your nearest expert retailer by visiting: [www.dovre.co.uk/find-a-retailer](http://www.dovre.co.uk/find-a-retailer)





Dovre 250 multi-fuel stove in Ivory White enamel. Shown with Stovax Claremont Limestone Mantel.

# 250



## Multi-Fuel Stove

### KEY DETAILS

- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Ready†
- Approved for Smoke Control Areas\*
- Colour matched enamel flue pipe also available
- Nominal heat output: 4.9kW
- Heat output range: 2 - 7kW
- High efficiency: up to 77%
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 33cm
- Weight: 79kg
- Efficiency Class: **A+**

† Subject to HETAS confirmation

\*When fitted with a Smoke Control Kit

### PRODUCT CODES

- |          |  |
|----------|--|
| DV-250   | Matt Black multi-fuel with riddling grate and Airwash system         |
| DV-250WH | Ivory White enamel multi-fuel with riddling grate and Airwash system |

### ACCESSORIES

- |           |                   |
|-----------|-------------------|
| DV250SCKT | Smoke control kit |
|-----------|-------------------|

### FINISHES



Traditional  
Matt Black

Ivory White  
enamel









Dovre 425 multi-fuel stove in traditional Matt Black

# 425



## Multi-Fuel Stove

### KEY DETAILS

- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Ready†
- Colour matched enamel flue pipe also available
- Nominal heat output: 8kW
- Heat output range: 2.7 - 10kW
- High efficiency: up to 83%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 40cm
- Weight: 130kg
- Gas and Electric versions also available, see pages 44 - 45 and 48 - 49
- Efficiency Class: **A+**

† Subject to HETAS confirmation

### PRODUCT CODES

- DV-425 Matt Black multi-fuel with riddling grate and Airwash system
- DV-425IWH Ivory White enamel multi-fuel with riddling grate and Airwash system

### FINISHES



Traditional  
Matt Black



Ivory White  
enamel

AIR  
WASH







# 640WD



## Woodburning Stove

### KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Ecodesign Ready†
- Side door for loading
- Nominal heat output: 9kW
- Heat output range: 3 - 11kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 158kg
- Efficiency Class: **A+**

† Subject to HETAS confirmation

### PRODUCT CODES

DV-640WD Matt Black woodburner with Cleanburn and Airwash

### FINISHES



Traditional Matt Black





Dovre 760WD woodburning stove

# 760WD



## Woodburning Stove

### KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Ecodesign Ready†
- Side door for loading
- Nominal heat output: 11kW
- Heat output range: 3.7 - 13kW
- High efficiency: up to 80.2%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 60cm
- Weight: 180kg
- Efficiency Class: **A+**

† Subject to HETAS confirmation

### PRODUCT CODES

DV-760WD Matt Black woodburner with Cleanburn and Airwash

### FINISHES



Traditional Matt Black











Sense 103 in Pure White enamel

# SENSE 103

## Wood Stove



### KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Nominal heat output: 4.9kW
- Heat output range: 2.3 - 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Choice of three finishes
- Top or rear flue exit
- Short Leg models available (see pages 18 & 19)
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg - 125kg
- Efficiency Class: **A**

† Subject to HETAS confirmation

\* When fitted with a Smoke Control Kit

### PRODUCT CODES

DV-SENSE103	Sense 103 with side windows, legs, Cleanburn and Airwash - Matt Black
DV-SENSE103PW	Sense 103 with side windows, legs, Cleanburn and Airwash - Pure White enamel
DV-SENSE103GY	Sense 103 with side windows, legs, Cleanburn and Airwash - Grey enamel

### ACCESSORIES

DV-SENSESZKIT	Smoke Control Area Kit
DV-HS-SENSE	Heat Shield Kit (see page 50)*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

### FINISHES







Sense 113 in Matt Black

# SENSE 113

## Wood Stove



### KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Nominal heat output: 4.9kW
- Heat output range: 2.3 - 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Long Leg models available (see page 16-17)
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg
- Efficiency Class: **A**

† Subject to HETAS confirmation

\* When fitted with a Smoke Control Kit

### PRODUCT CODES

- |               |  |
|---------------|--|
| DV-SENSE113   | Sense 113 with short legs, side windows, Cleanburn and Airwash - Matt Black        |
| DV-SENSE113PW | Sense 113 with short legs, side windows, Cleanburn and Airwash - Pure White enamel |

### ACCESSORIES

- |               |                                |
|---------------|--------------------------------|
| DV-SENSESZKIT | Smoke Control Area Kit         |
| DV-HS-SENSE   | Heat Shield Kit (see page 50)* |

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

### FINISHES



Matt Black Pure White enamel







Sense 203 in Matt Black

# SENSE 203

## Wood Stove



### KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Nominal heat output: 4.9kW
- Heat output range: 2.3 - 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Choice of three finishes
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg - 125kg
- Efficiency Class: **A**

† Subject to HETAS confirmation

\* When fitted with a Smoke Control Kit

### PRODUCT CODES

- |               |   |
|---------------|---|
| DV-SENSE203   | Sense 203 box mounted, with side windows, Cleanburn and Airwash - Matt Black        |
| DV-SENSE203PW | Sense 203 box mounted, with side windows, Cleanburn and Airwash - Pure White enamel |

### ACCESSORIES

- |               |                                |
|---------------|--------------------------------|
| DV-SENSESZKIT | Smoke Control Area Kit         |
| DV-HS-SENSE   | Heat Shield Kit (see page 50)* |

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

### FINISHES



Matt Black

Pure White enamel

Also see image on front cover, pages 7 and 50.





Dovre Vintage 35 in Matt Black.

# VINTAGE 35



## Wood Stove

### KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Approved for Smoke Control Areas\*
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9kW
- High efficiency: up to 83%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 125kg
- Efficiency Class: **A+**

### PRODUCT CODES

- DV-VIN35 Matt Black woodburner with Cleanburn and Airwash
- DV-VIN35PW Pure White enamel woodburner with Cleanburn and Airwash

### ACCESSORIES

- DV-VINSCKIT Smoke Control Kit

### FINISHES



Matt Black



Pure White enamel

Also see picture on page 53

† Subject to HETAS confirmation

\* When fitted with a Smoke Control Kit











Dovre Vintage 50 in Pure White enamel. Shown with Stovax Ivory Enamelled Flue Pipe.

# VINTAGE 50



## Wood Stove

### KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Approved for Smoke Control Areas\*
- Nominal heat output: 9kW
- Heat output range: 3 - 11kW
- High efficiency: up to 84%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 155kg
- Efficiency Class: **A+**

† Subject to HETAS confirmation

\* When fitted with a Smoke Control Kit

### PRODUCT CODES

- |            |   |
|------------|---|
| DV-VIN50   | Matt Black woodburner with Cleanburn and Airwash        |
| DV-VIN50PW | Pure White enamel woodburner with Cleanburn and Airwash |

### ACCESSORIES

- |             |                   |
|-------------|-------------------|
| DV-VINSCKIT | Smoke Control Kit |
|-------------|-------------------|

### FINISHES





Bold 300 in Pure White Enamel

# BOLD 300



## Wood Stoves

### KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Nominal heat output: 7kW
- Heat output range: 2.3 – 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 130kg
- Efficiency Class: **A+**

† Subject to HETAS confirmation

### PRODUCT CODES

- DV-BOLD300 Bold 300, Matt Black on legs
- DV-BOLD300PW Bold 300, Pure White enamel on legs
- DV-BOLD300GY Bold 300, Grey enamel on legs

### FINISHES



Black  
enamel

Pure White  
enamel

Grey  
enamel









Bold 400 in Grey enamel

# BOLD 400



## Wood Stoves

### KEY DETAILS


- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Nominal heat output: 7kW
- Heat output range: 2.3 – 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 145kg
- Efficiency Class: **A+**

† Subject to HETAS confirmation

### PRODUCT CODES

- DV-BOLD400 Bold 400, Matt Black
- DV-BOLD400PW Bold 400, Pure White enamel
- DV-BOLD400GY Bold 400, Grey enamel

### FINISHES





Rock 350 with tablet stand in Grey enamel

# ROCK 350



## Wood Stoves

### KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Nominal heat output: 7kW
- Heat output range: 2.3 – 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 110 - 125kg
- Efficiency Class: **A+**

† Subject to HETAS confirmation

### PRODUCT CODES

DV-ROCK350TB	Rock 350 with tablet stand, Matt Black
DV-ROCK350WB	Rock 350 with wood box, Matt Black
DV-ROCK350TBPW	Rock 350 with tablet stand, Pure White
DV-ROCK350WBPW	Rock 350 with wood box, Pure White
DV-ROCK350TBGY	Rock 350 with tablet stand, Grey Enamel
DV-ROCK350WBGY	Rock 350 with wood box, Grey Enamel

### FINISHES



Matt Black



Pure White



Grey enamel











Rock 500 with wood box in Pure White enamel

# ROCK 500



## Wood Stoves

### KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready†
- Nominal heat output: 9kW
- Heat output range: 3 – 11 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 130kg
- Efficiency Class: **A+**

† Subject to HETAS confirmation

### PRODUCT CODES

DV-ROCK500TB	Rock 500 with tablet stand, Matt Black
DV-ROCK500WB	Rock 500 with wood box, Matt Black
DV-ROCK500WBPW	Rock 500 with wood box, Pure White
DV-ROCK500WBGY	Rock 500 with wood box, Grey Enamel

### FINISHES



Matt Black



Pure White



Grey enamel







Astroline 3 with pedestal.

# ASTROLINE 3



## Wood Stoves

### KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Ecodesign Ready
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 - 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 158kg - 171kg
- Efficiency Class: **A**

### PRODUCT CODES

DV-ASTRO3CB/P

Matt Black woodburner with pedestal base, Cleanburn and external combustion air connection

### ACCESSORIES

DV-HSF3.2

Heat shield (see page 50)\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

### FINISHES



Matt Black





Astroline 4CB woodburning stove with pedestal

# ASTROLINE 4



## Wood & Multi-fuel Stoves

### KEY DETAILS

- All cast iron construction
- Woodburner or multi-fuel versions
- Cleanburn and Airwash systems
- Ecodesign Ready†
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 - 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 168kg - 181kg
- Efficiency Class: **A**

† Subject to HETAS confirmation

### PRODUCT CODES

- |                |  |
|----------------|--|
| DV-ASTRO4CB/P  | Matt Black coloured woodburner with pedestal base, Cleanburn and external air connection             |
| DV-ASTRO4MF/WB | Matt Black coloured multi-fuel with wood store base, riddling, Cleanburn and external air connection |

### ACCESSORIES

- |           |                            |
|-----------|----------------------------|
| DV-HSF4.1 | Heat shield (see page 50)* |
|-----------|----------------------------|

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

### FINISHES



Matt Black









Zen 100 cassette fire

# ZEN 100

HIGH  
EFFICIENCY

## Woodburning Cassette

### KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Easy to operate with one air slide
- External air supply
- Nominal heat output: 4.75kW
- Heat output range: 2 - 7kW
- High efficiency: up to 80%
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg
- Double sided version also available - see pages 40 - 41
- Efficiency Class: **A+**

### FINISHES



Traditional  
Matt Black

### PRODUCT CODES

DV-ZEN100      Matt Black woodburning  
cassette fire with Cleanburn  
and Airwash systems



The Zen 100 recessed combustion chamber ensures beautiful flame visuals.





Zen 102 cassette fire



# ZEN 102

HIGH  
EFFICIENCY

## Double Sided Woodburning Cassette

### KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Easy to operate with one air slide
- External air supply
- Nominal heat output: 5kW
- Heat output range: 2 - 7kW
- High efficiency: up to 80%
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 115kg
- Single sided version also available - see pages 38 - 39
- Efficiency Class: **A+**

### PRODUCT CODES

DV-ZEN102

Matt Black double-sided woodburning cassette fire with Cleanburn and Airwash systems

### FINISHES



Traditional  
Matt Black











Dovre 280 Gas conventional flue version with log-effect fire.

# 280

**HIGH  
EFFICIENCY**

## Gas Stoves

### KEY DETAILS

- All cast iron construction
- Balanced and Conventional flue with realistic log-effect fire
- Optional remote controls
- High Efficiency: up to 95.4%
- Max. heat output: 3.1kW (CF)/ 3.8kW (BF)
- Ignition system requires no electricity supply
- Top or rear flue exit: 125mm (CF)/ 152mm (BF)
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Weight: 50kg (CF)/54.4kg (BF)
- Electric version available, see pages 46 - 47

PRODUCT CODES	FLUE TYPE	GAS TYPE	FUEL EFFECT	ENERGY INPUT	HEAT OUTPUT	EFFICIENCY	EFFICIENCY CLASS
DV541-010	CF	NG	LOGS	4.55KW	3.1KW	75%	E
DV541-409	CF	LPG	LOGS	4.35KW	3.0KW	75%	E
DV541-148	BF	NG	LOGS	4.3KW	3.7KW	95.4%*	A*
DV541-503	BF	LPG	LOGS	4.3KW	3.8KW	95.4%*	A*

\*When used with Programmable Thermostatic Remote Control  
CF = Conventional Flue / BF = Balanced Flue

### OPTIONAL REMOTE CONTROLS



**8455:**  
Standard (Left)

**8456:**  
Programmable (Right)

Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

### FINISHES



Traditional  
Matt Black



Dovre 425 Gas in traditional Matt Black

# 425

HIGH  
EFFICIENCY

## Gas Stoves

### KEY DETAILS

- All cast iron construction
- Realistic log-effect fire
- Conventional and Balanced flue versions
- Optional remote controls
- High Efficiency: up to 90.8%
- Max. heat output: 5.5kW
- Ignition system requires no electricity supply
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Top or rear flue exit: 125mm (CF) / 152mm (BF)
- Weight: 74kg (CF)/81.5kg (BF)
- Multi-fuel & Electric versions also available, see pages 10 - 11 and 48 - 49

PRODUCT CODES	FLUE TYPE	GAS TYPE	FUEL EFFECT	ENERGY INPUT	HEAT OUTPUT	EFFICIENCY	EFFICIENCY CLASS
DV541-124	CF	NG	LOGS	6.6KW	4.6KW	78%	E
DV541-447	CF	LPG	LOGS	6.7KW	4.8KW	78%	E
DV541-138	BF	NG	LOGS	6.6KW	5.4KW	90.8%*	B*
DV541-461	BF	LPG	LOGS	6.6KW	5.5KW	90.8%*	B*

\*When used with Programmable Thermostatic Remote Control  
CF = Conventional Flue / BF = Balanced Flue

### OPTIONAL REMOTE CONTROLS



- 8455:**  
Standard (Left)
- 8456:**  
Programmable (Right)

Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

### FINISHES



Traditional  
Matt Black







Dovre 280 Electric in traditional Matt Black

# 280

## Electric Stove

### KEY DETAILS

- All cast iron construction
- Interchangeable fuel-effects including Log-effect & Crystal Ice
- Chromalight® Immersive LED systems
- 14 Different fuel bed lighting settings
- Three different flame options: Amber, Blue, Amber with Blue Accent
- Flames and fuel effect lighting can be enjoyed without the heat
- 1-2kW thermostatically controlled fan heater
- Thermostatic Eco remote control for ambient heating and flame and lighting settings
- Open window detection efficiency feature
- Compliant with Ecodesign energy product standards
- Requires no flue, hearth or chimney
- Weight: 50kg
- Gas version also available, see pages 42 - 43

### PRODUCT CODES

DV641-872 Electric Dovre 280, Matt Black

### FINISHES



Traditional Matt Black



Programmable Thermostatic Eco Remote Control



Realistic log effect fuel bed and flame effect



Dovre 425 Electric in traditional Matt Black

# 425

## Electric Stove

### KEY DETAILS

- All cast iron construction
- Interchangeable fuel-effects including Log-effect & Crystal Ice
- Chromalight® Immersive LED systems
- 14 Different fuel bed lighting settings
- Three different flame options: Amber, Blue, Amber with Blue Accent
- Flames and fuel effect lighting can be enjoyed without the heat
- 1-2kW thermostatically controlled fan heater
- Thermostatic Eco remote control for ambient heating and flame and lighting settings
- Open window detection efficiency feature
- Compliant with Ecodesign energy product standards
- Requires no flue, hearth or chimney
- Weight: 74kg
- Multi-fuel & Gas versions also available, see pages 10 - 11 and 44 - 45

### PRODUCT CODES

DV641-904 Electric Dovre 425, Matt Black

### FINISHES



Traditional Matt Black



Programmable Thermostatic Eco Remote Control



Realistic log effect fuel bed and flame effect





# Accessories & Stove Care



## Sense and Astroline Heat Shields

Dovre also offer a range of highly effective Heat Shields for the Astroline and Sense stoves.

These fantastic additions reduce the distance to combustible materials at the rear and sides of the stoves as shown below.

The Dovre Heat Shields not only maximise the available space within the room, but they also enable you to accommodate a wider range of materials in your interior design. For further information please speak to your local Dovre retailer.

Distances to combustible materials when fitted with Dovre Heat Shield:

STOVE	DISTANCE FROM REAR	DISTANCE FROM SIDES
Astroline 3	100mm	300mm
Astroline 4	100mm	400mm
Sense 103 & 113	100mm	500mm
Sense 203	100mm	500mm

## Care of your Stove or Fireplace

To help you get the best performance from your stove or fireplace and keep it in good condition, inside and out, Stovax (Dovre's distributor in the UK and Republic of Ireland) offers a wide range of cleaning and maintenance products. Stovax also supplies a wide variety of fireplace accessories. Your Dovre retailer will be able to give you full details or you may view the complete range at [www.stovax.com](http://www.stovax.com).



## Traditional and Contemporary Mantels


Stovax also offer a wide range of mantelpieces which provide the perfect complement to many of the Dovre stoves and fires shown in this brochure. Choose from a wide selection of wood, cast iron or natural stone mantels in a choice of both historic and contemporary designs, each handcrafted to the highest quality finish.

To view the extensive range on offer, please visit [www.stovax.com](http://www.stovax.com) to view and download the Stovax Classic Fireplaces brochure.




# Dimensions


Page 8/9 - 250 Multi-Fuel Stoves




Page 14/15 - 760WD Wood Stove




Page 10/11 - 425 Multi-Fuel Stoves




Page 16/17 - Sense 103 Wood Stoves



Page 12/13 - 640WD Wood Stove




Page 18/19 - Sense 113 Wood Stoves




# Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at [www.dovre.co.uk](http://www.dovre.co.uk)


## Page 20/21 - Sense 203 Wood Stoves




## Page 26/27 - Bold 300 Wood Stoves




## Page 22/23 - Vintage 35 Wood Stoves



## Page 28/29 - Bold 400 Wood Stoves




## Page 24/25 - Vintage 50 Wood Stoves




Dovre Vintage 35  
in Matt Black

# Dimensions


Page 30/31 - Rock 350 Wood Stoves




Page 36/37 - Astroline 4 Multi-Fuel & Wood Stoves



Page 32/33 - Rock 500 Wood Stoves



Page 34/35 - Astroline 3 Wood Stoves




Astroline 3 with Pedestal


# Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at [www.dovre.co.uk](http://www.dovre.co.uk)


## Page 38/39 - Zen 100 Cassette Fire†




## Page 44/45 - 425 Gas Stoves




## Page 40/41 - Zen 102 Double-Sided Cassette Fire†




## Page 46/47 - 280 Electric Stoves



## Page 42/43 - 280 Gas Stoves



## Page 48/49 - 425 Electric Stoves



† To end of rear flue spigot. Installation instructions with information on balanced flue configurations are available from [www.dovre.co.uk](http://www.dovre.co.uk)

# Further Information

---

## Expert Retailer Network

We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home. They will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers

---

## Warranty Information

Your Dove retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. The continuation of the warranty is dependant on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Please note, these warranties exclude certain consumable and naturally wearing parts such as grates, baffles, firebricks and glass. Full details are on our website at [www.dovre.co.uk](http://www.dovre.co.uk)



## Photography and Installation

Please note that, due to studio lighting and the limitations of the printing process, colour reproduction of enamel finishes may vary from actual product. Please consult your Dove retailer for more accurate colours.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Given that building regulations are subject to constant change, some of the photography in this brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with your HETAS trained installer before proceeding. Certain settings in this brochure are dependant on the use of heat shields to reduce the required separation from combustible material. When designing your own installation, please observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.

**Please note:** The operation and appearance of gas appliances depends on variable factors such as the gas pressure supplied.

---

## Product Improvement and Safety Information

Dovre reserves the right to amend any specifications herein or to make any product design changes.

Please note that all parts of these stoves and fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all installations also require a Carbon Monoxide Monitor be supplied and fitted.



# Register your stove and we'll plant a tree...

Stovax (Dovre's distributor in the UK and Republic of Ireland) is working with our recommended British Woodsure "Ready to Burn" fuel supplier Certainly Wood to encourage sustainable woodland creation. For every stove or fire registered for our Extended Warranty in the UK\*, the Stovax Heating Group and Certainly Wood will jointly fund the planting of a tree as part of our #GreenBritain campaign. Our goal is to plant 10,000 new trees each year in Britain.

Find out more at [stovax.com/GreenBritain](http://stovax.com/GreenBritain)



## ...and you'll get a free Fire Starter Kit

Once you have registered your product\*, you will also receive a free Fire Starter Kit from Certainly Wood to help you get started with your new Dovre stove. Inside you will find high quality, Woodsure "Ready to Burn" logs, kindling, Flamers (natural firelighters) and a handy good firewood guide so you can get the best out of your Dovre stove along with a £20 money-off voucher for your first Certainly Wood fuel order.



Visit our partner online at [certainlywood.co.uk](http://certainlywood.co.uk) for certified Woodsure Ready to Burn firewood.

\*Mainland UK registrations only

# WIN

the cost of your product back!\*

For further home inspiration you can **view real life installations** on the Stovax Customer Showcase page (Dovre's distributor in the UK and Republic of Ireland), and share your thoughts and photos of your new stove or fire installation to enter our draw!

- We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back
- **Gain a second entry** by registering your product online for your free extended warranty at [stovax.com/registration](http://stovax.com/registration)

View real life installations and submit your review at [stovax.com/customershowcase](http://stovax.com/customershowcase)

\* Terms and conditions apply. See online for details



"We wanted a stove to give a cosy feel to the room"



"Amazing, beats all our expectations"

# Enamelled Flue Pipe



For the fully colour coordinated installation of your stove, and optimum performance, we offer high quality enamel coloured flue pipe. However, please note that due to the different production processes we cannot guarantee a perfect match between pipe and stove. The flue pipe diameters required for each model are demonstrated on the product pages.

STOVAX  
MATT BLACK



DOVRE  
BLACK ENAMEL



IVORY WHITE  
ENAMEL



PURE WHITE  
ENAMEL



## 127mm diameter

	STOVAX MATT BLACK	DOVRE BLACK ENAMEL	IVORY WHITE ENAMEL	PURE WHITE ENAMEL
305mm (1') straight without door	4500	DV-F512BLK	DV-4500IV	DV-4500PW
610mm (2') straight without door	4501	DV-F524BLK	DV-4501IV	DV-4501PW
915mm (3') straight without door	4502	DV-F536BLK	DV-4502IV	DV-4502PW
305mm (1') straight with door	4504	DV-FD512BLK	DV-4504IV	DV-4504PW
610mm (2') straight with door	4505	-	DV-4505IV	DV-4504PW
915mm (3') straight with door	4506	DV-FD536BLK	DV-4506IV	DV-4506PW
90° bend without door	-	DV-FE590BLK	-	-
90° tee piece with end cap	4516	-	DV-4516IV	DV-4516PW
135° bend without door	4537	-	DV-4537IV	DV-4537PW
135° bend with door	4512	DV-FED545BLK	-	-
Tee + end cap	4516	DV-FT5BLK	DV-4516IV	DV-4516PW
125mm – 150mm increaser	4518	DV-F5-6INCBLK	-	-

## 152mm diameter

	STOVAX MATT BLACK	DOVRE BLACK ENAMEL	IVORY WHITE ENAMEL	PURE WHITE ENAMEL
305mm (1') straight without door	4600	DV-F612BLK	DV-4600IV	DV-4600PW
610mm (2') straight without door	4601	DV-F624BLK	DV-4601IV	DV-4601PW
915mm (3') straight without door	4602	DV-F636BLK	DV-4602IV	DV-4602PW
305mm (1') straight with door	4604	DV-FD612BLK	DV-4604IV	DV-4604PW
610mm (2') straight with door	4605	-	DV-4605IV	DV-4605PW
915mm (3') straight with door	4606	DV-FD636BLK	DV-4606IV	DV-4606PW
90° bend without door	-	DV-FE690BLK	-	-
90° tee piece with end cap	4616	-	DV-4616IV	DV-4616PW
135° bend without door	4637	DV-FE645BLK	DV-4637IV	DV-4637PW



Bold 300 in Pure White Enamel



Dovre 425 multi-fuel stove in traditional Matt Black

# Professional XQ™ Chimney Systems

FOR HOMES  
WITHOUT A  
CHIMNEY!


Stovax (Dovre's distributor in the UK and Republic of Ireland) also offers a comprehensive range of stove and fireplace chimney systems, the Stovax Professional XQ™ collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ™ range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ™ range carries a 10 year conditional warranty offering complete peace of mind.

**10**  
**YEAR**  
EXTENDED  
WARRANTY



For further information or to request a brochure, contact your local retailer or visit [www.stovax.com/chimneysystems](http://www.stovax.com/chimneysystems)





United Kingdom & Republic of Ireland distributors for Dovre:

**Stovax Limited**, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

**Solid Fuel Trade Sales tel:** 01392 474000

**Gas & Electric Trade Sales tel:** 01392 261900

**Export Sales tel:** 0044 1392 261990

**Other depts tel:** 01392 474011 • **E-mail:** [dovre@stovax.com](mailto:dovre@stovax.com)

**[www.dovre.co.uk](http://www.dovre.co.uk)**

To view the complete range of brochures within the Stovax group, simply scan this code or visit [www.stovax.com](http://www.stovax.com)



© All material copyright Stovax Ltd 2020 E & O E

Paper sourced from sustainable forests and printed using vegetable based inks

### Find your retailer

Find your nearest expert retailer by visiting:  
[www.dovre.co.uk/find-a-retailer](http://www.dovre.co.uk/find-a-retailer)



Your local Dovre retailer:

£3.00



DOVRE1220

